

# SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/6  
Revision: 5  
Revision date: 12/04/17

## NEO 625 SPECIAL

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name NEO 625 SPECIAL

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use [SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites; [SU19] Building and construction work; [PC0] Other; [PROC11] Non-industrial spraying; [ERC8b] Wide dispersive indoor use of reactive substances in open systems [ERC8e] Wide dispersive outdoor use of reactive substances in open systems;

Description Acidic Cleaning Solution.

#### 1.3. Details of the supplier of the safety data sheet

Company Flowplant Group Ltd  
Address Gemini House  
Brunel Road  
Churchfields Ind. Est.  
Salisbury  
Wiltshire. SP2 7PU.  
United Kingdom

Web www.flowplant.com  
Telephone 01722 325424  
Fax 01722 411329  
Email chemicals@flowplant.com

Email address of the competent person  
chemicals@flowplant.com

1.4. Emergency telephone number  
07889 745 930.

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification (CLP): Acute Tox. 2: H300;  
Acute Tox. 1: H310;  
Skin Corr. 1A: H314;  
Acute Tox. 2: H330;

#### 2.2. Label elements

##### Label elements under CLP (1272/2008):

Hazard statements: H300: Fatal if swallowed  
H310: Fatal in contact with skin  
H330: Fatal if inhaled  
H314: Causes severe skin burns and eye damage

Signal words: Danger

Hazard pictograms: GHS06: Toxic  
GHS05: Corrosion



## Precautionary statements:

P201: Obtain special instructions before use  
 P202: Do not handle until all safety precautions have been read and understood  
 P260: Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.  
 P264: Wash hands thoroughly after handling.  
 P280: Wear protective gloves/ protective clothing/ eye protection/ face protection.  
 P284: Wear respiratory protection.  
 P301 + P303 + P305 + P310: IF SWALLOWED, IF ON SKIN (or hair), IF IN EYES: Immediately call a POISON CENTER or doctor/physician.  
 P301+330+331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting  
 P302 + P350: IF ON SKIN: Gently wash with plenty of soap and water.  
 P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do . continue rinsing  
 P403+233: Store in a well-ventilated place. Keep container tightly closed  
 P234: Keep only in original container.  
 P390: Absorb spillage to prevent material damage  
 P501: Dispose of contents/container to hazardous waste

## Additional Label Elements:

Contains: Hydrofluoric Acid, Phosphoric Acid

## 2.3. Other hazards

**PBT:** This product is not identified as a PBT substance.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures 67/548/EEC / 1999/45/EC

Chemical Name	CAS No.	Conc. (%w/w)	Classification
Hydrofluoric Acid	7664-39-3	5 . 15 %	Acute. Tox, 1: H310; Acute. Tox, 2: H300; Acute. Tox, 2: H330; Skin Corr. 1A: H314
Phosphoric Acid	7664-38-2	15 . 30 %	Skin Corr. 1B: H314
Nonionic Surfactant	68439-46-3	1 . 5 %	Eye Dam. 1, H318; Acute Tox. 4, H302

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

**General advice** Consult a physician. Show this safety data sheet to the doctor in attendance. Hydrofluoric (HF) acid burns require immediate and specialized first aid and medical treatment. Symptoms may be delayed up to 24 hours depending on the concentration of HF. After decontamination with water, further damage can occur due to penetration/absorption of the fluoride ion. Treatment should be directed toward binding the fluoride ion as well as the effects of exposure. Skin exposures can be treated with a 2.5% calcium gluconate gel repeated until burning ceases. More serious skin exposures may require subcutaneous calcium gluconate except for digital areas unless the physician is experienced in this technique, due to the potential for tissue injury from increased pressure. Absorption can readily occur through the subungual areas and should be considered when undergoing decontamination. Prevention of absorption of the fluoride ion in cases of ingestion can be obtained by giving milk, chewable calcium carbonate tablets or Milk of Magnesia to conscious victims. Conditions such as hypocalcemia, hypomagnesemia and cardiac arrhythmias should be monitored for, since they can occur after exposure.

Inhalation Move the exposed person to fresh air. If not breathing, give artificial respiration.  
 Eye contact Rinse immediately with plenty of water for 15 minutes holding the eyelids open.  
 Skin contact Wash off immediately with plenty of soap and water. Remove contaminated clothing.  
 Ingestion DO NOT INDUCE VOMITING. Rinse mouth with water.

### 4.2. Most important symptoms and effects, both acute and delayed

Inhalation Risk of producing lung oedema.  
 Eye contact: Causes severe burns to eyes. The eyes may water profusely. There may be severe pain. The vision may become blurred. There may be permanent damage.  
 Skin contact Painful burns (effects may not be immediate).  
 Ingestion: Corrosive to mucous membranes.

### 4.3. Indication of any immediate medical attention and special treatment needed

Inhalation Seek immediate medical attention. (show the label where possible).  
 Eye contact Seek immediate medical attention. (show the label where possible).  
 Skin contact Seek immediate medical attention. (show the label where possible).  
 Ingestion Seek immediate medical attention. (show the label where possible).

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Use extinguishing media appropriate to the surrounding fire conditions.

### 5.2. Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing.

### 5.4. Further information

Avoid using strong water jets.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with the eyes and skin.

Wear suitable protective equipment.

Wear respiratory protection.

Avoid breathing vapours, mist or gas.

Ensure adequate ventilation.

Evacuate personnel to safe areas.

For personal protection see section 8.

### 6.2. Environmental precautions

Prevent further spillage if safe.

Do not allow product to enter drains or any water course.

Advise local authorities if large spills cannot be contained.

### 6.3. Methods and material for containment and cleaning up

Absorb with inert, absorbent material and dispose of as hazardous waste.

Transfer to suitable, labelled containers for disposal.

### 6.4. Reference to other sections

See section 8. EXPOSURE CONTROLS / PERSONAL PROTECTION for further information.

See section 13. DISPOSAL CONSIDERATIONS for further information.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Ensure adequate ventilation of the working area. Avoid contact with eyes and skin.

Adopt best Manual Handling considerations when handling, carrying and dispensing.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed. Keep in a cool, dry, well-ventilated area.

Store in correctly labelled containers.

### 7.3. Specific end use(s)

See section 1.2. Relevant identified uses of the substance or mixture and uses advised against for further information.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

<u>Components</u>	<u>CAS-No.</u>	<u>8 hour TWA</u>	<u>15 min. STEL</u>	<u>Basis</u>
Hydrofluoric Acid	7664-39-3	1.5 mg/m <sup>3</sup>	2.5 mg/m <sup>3</sup>	UK EH40 WEL
Phosphoric Acid	7664-38-2	1 mg/m <sup>3</sup>	2 mg/m <sup>3</sup>	UK EH40 WEL

### 8.2. Exposure controls

#### Appropriate engineering controls

Avoid contact with skin, eyes and clothing.

Wash hands before breaks and immediately after handling the product

#### Respiratory protection

Do not breathe dust/fume/gas/mist/vapour/spray.

Wear suitable respiratory equipment when necessary.

#### Hand protection

Chemical resistant gloves.

Material: Chloroprene.

Minimum layer thickness: 0.6 mm

Break through time: > 480 min

<b>Eye protection</b>	Tightly fitting safety goggles. Avoid contact with eyes.
<b>Protective equipment</b>	The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Avoid contact with eyes and skin. Immediately remove all soiled and contaminated clothing. Wash all contaminated clothing before reuse.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Appearance:	Liquid
Colour:	Colourless
Odour:	Acidic
Odour threshold:	Not determined.
pH-value at 20 °C:	< 1.0
Melting point:	Not determined.
Boiling point:	Not determined.
Flash point:	Not determined.
Flammability (solid, gaseous):	Not applicable.
Auto-ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
Self-igniting:	Not determined.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	Not determined.
Vapour pressure:	Not determined.
Density at 20 °C:	1.200 g/cm <sup>3</sup>
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with water:	Soluble.
Oxidizing properties	Not determined.
Partition coefficient (n-octanol/water):	Not determined.
Viscosity:	
Dynamic at 20 °C:	Not determined.
Kinematic:	Not determined.

### 9.2. Other information

<b>Conductivity</b>	No data available
<b>Surface tension</b>	No data available
<b>Gas group</b>	No data available

## SECTION 10: Stability and reactivity

**10.1 Reactivity:** Not determined.

**10.2. Chemical stability** Stable under normal conditions.

### Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

### 10.3 Possibility of hazardous reactions:

Reacts with metal to form Hydrogen.

### 10.4 Conditions to avoid:

Heat. Flames. Sources of ignition. Direct sunlight.

### 10.5 Incompatible materials:

Strong bases. Strong oxidizing agents.

### 10.6 Hazardous decomposition products:

In combustion emits toxic fumes.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

<b>Acute toxicity:</b>	Fatal if swallowed Fatal in contact with skin Fatal if inhaled Causes severe skin burns and eye damage
------------------------	---

## Symptoms / Routes of exposure:

**Skin contact:** Painful burns (effects may not be immediate).  
**Eye contact:** Causes severe burns to eyes. The eyes may water profusely. There may be severe pain. The vision may become blurred. There may be permanent damage.  
**Ingestion:** Corrosive to mucous membranes.  
**Inhalation:** Risk of producing lung oedema.

## Delayed / immediate effects:

Fluoride ion can reduce serum calcium levels possibly causing fatal hypocalcemia., Material can cause severe burns and blistering which may not be immediately painful or visible. The full extent of tissue damage may not exhibit itself for 12-24 hours after exposure., Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., necrosis of the skin

## SECTION 12: Ecological information

**12.1 Toxicity** Not determined.

### 12.2 Persistence and degradability

Biodegradable

### 12.3 Bioaccumulative potential

Degraded. Will disperse as ions.

### 12.4 Mobility in soil

Soluble, will disperse and degrade.

### 12.5 Results of PBT and vPvB assessment

**PBT:** Not applicable.  
**vPvB:** Not applicable.

### 12.6 Other adverse effects:

Not expected to be persistent in the environment

## SECTION 13: Disposal considerations

### General information

Do not allow product to enter drains.  
Transfer to a suitable container and arrange for collection by specialised disposal company.

### Uncleaned packaging:

**Recommendation:** Arrange for collection by specialised disposal company.  
Disposal must be made according to official regulations.

## 14. TRANSPORT INFORMATION

### 14.1. UN number

**UN number:** UN 2922

### 14.2. UN proper shipping name

**Shipping name:** CORROSIVE LIQUID, TOXIC, N.O.S. (Hydrofluoric Acid, Phosphoric Acid)

### 14.3. Transport hazard class(es)



**Transport class:** 8 (6.1)

### 14.4. Packing group

**Packing group:** II

### 14.5. Environmental hazards

**Environmentally hazardous:** No  
**Marine pollutant:** No

### 14.6. Special precautions for user

**Tunnel code:** E  
**Transport category:** 2

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### Regulations

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

## 15.2. Chemical safety assessment

No data is available on this product.

## SECTION 16: Other information

### Other information

#### Revision

This document differs from the previous version in the following areas:

- 2 - Labelling.
- 2 - Risk phrases.
- 2 - Safety phrases.
- 16 - Other Information

## Full text of classifications [DSD/DPD]

H290:	May be corrosive to metals
H300:	Fatal if swallowed
H302:	Harmful if swallowed
H310:	Fatal in contact with skin
H314:	Causes severe skin burns and eye damage
H318:	Causes serious eye damage
H330:	Fatal if inhaled

## Further information:

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.